

62% Alcohol Foam Hand Sanitizer

Section 1 Product Description

Product Name: SmartSan Hand Sanitizer Foam or ALPET E3 Hand Sanitizer Foam

Recommended Uses: Hand Sanitizer

Synonyms: Foaming Hand Sanitizer
Distributor: Best Sanitizers, Inc.

PO Box 1360 Penn Valley, CA 95946

Chemical Information Emergency:

Chemtrec 1.800.424.9300

Section 2

Hazard Indentification

OSHA Regulatory Status-This chemical is considered hazardous by the 2012 OSHA Hazard Communication, 29 CFR §1910.1200. This material is an Over-The-Counter consumer product that is safe for consumers/workplaces with intended and reasonable foreseeable use. Please follow label instructions. NOTE: Warnings below are for exposure to large quantities of the product. Normal usage should not create a hazardous condition.

Flammable liquids Category 3

Warning

Hazard Statements



Flammable liquid and vapor

Appearance—Aqueous solution
Physical state—Liquid
Odor— Alcohol Odor

Precautionary Statements—Prevention

Keep away from heat/sparks/open flames/hot surfaces----No Smoking.

Do not use in eyes.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements—Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower.

In case of fire: Use CO_2 , dry chemical, or foam for extinction.

Precautionary Statements—Storage

Stored in a well-ventilated place. Keep Cool.

Precautionary Statements-Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Not Applicable.

Other Information

Unknown Acute Toxicity.

Section 3

Composition/Information on Ingredients

Ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200, WHMIS under the HPA (Canada).

Chemical Name	CAS No.	Weight-%
Ethyl Alcohol	64-17-5	66-76
Tertiary Butyl Alcohol	75-65-0	< 0.1

Remaining ingredients are non-hazardous and/or present at amounts below reportable limits and considered confidential.

Section 4

First Aid Measures

First Aid Measures

Eye Contact Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after first 5 minutes, then continue rinsing eye(s). If eye irritation persists:

Get medical advice/attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and

shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation

develops and persists.

Inhalation Remove to fresh air. Immediate medical attention is not required.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5

Fire-Fighting Measures

Suitable Extinguishing Media

Dry Chemical, Water spray (fog), Carbon dioxide (CO₂), Foam.

Unsuitable Extinguishing Media

No Information available.

Specific hazards arising from the chemical

Flammable. Vapors may travel to source of ignition and flash back.

Hazardous combustion productsCarbon Monoxide. Carbon Dioxide (CO₂).

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

gear. Cool containers with flooding quantities of water until well after fire is out.

Section 6

Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined

areas.

For emergency responders Isolate area. Keep unnecessary personnel away.

Environment Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. See Secion 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container

for disposal according to local/national regulations (See Section 13).

Methods for cleaning up Use clean non-sparking tools to collect absorbed material. May be ignited by friction, heat, sparks or

flames. Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable

containers for disposal. Following product recovery, flush area with water.

Section 7

Handling and Storage

Precautions for Safe Handling

Advice on Safe Handling Keep away from heat sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and

static electricity). Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly

after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep Containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep away

from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity). Store between 40 to 100 ° F.

Incompatible materials Heat, sparks, open flame, other ignition sources. Reacts violently with strong oxidants such as nitric

acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and

ammonia causing fire and explosion hazard.

Section 8

Protection Information

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 980 mg/m³ vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate Engineering Controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual Protection Measures, such as personal protective equipment

Eye/Face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective Neoprene™ gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long

pants) is recommended. Apron is recommended.

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General Hygiene Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated Considerations clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

Section 9

Physical and Chemical Properties

Information on basic physical and chemical properties

Formula: See Section 3 Physical State: Liquid

Odor: Alcohol Odor Appearance: Aqueous solution

Odor Threshold: No Information Available Color: Clear

<u>Property</u> <u>Values</u> <u>Remarks-Method</u>

pH No information available ± 1 @ 21° C Melting Point/Freezing Point No Information available

Boiling Point/ Boiling Range No information available

Flash Point $25~^{\circ}\text{C} / 77^{\circ}\text{F}$

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 19.0% Lower flammability limit: 3.3%

Vapor pressure:

Vapor density:

No information available
No information available

Specific Gravity 0.91

Water solubility Soluble in water

Partition coefficient

Autoignition temperature

Decomposition temperature

No information available

No information available

Kinematic viscosity

No information available

Dynamic viscosity

No information available

Explosive properties

No information available

Oxidizing properties

No information available

Section 10

Stability and Reactivity Data

Reactivity No data available.

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous ReactionsNone under normal processing.

Conditions to avoid Heat, flames and sparks, extreme temperature conditions.

Incompatible materials Heat, sparks, open flame, other ignition sources. Reacts violently with strong oxidants

such as nitric acid and silver nitrate causing fire and explosion hazard. Reacts slowly

with calcium, hypochlorite and ammonia causing fire and explosion hazard.

Hazardous Decomposition ProductsCarbon monoxide. Carbon dioxide (CO₂). Nitrogen.

Section 11

Toxicity Data

Information on likely routes of exposure

Product Information

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye Contact Irritating to eyes.

Skin Contact Prolonged contact may cause irritation.

Ingestion May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water, 7732-18-5	> 90 mL/kg (Rat)	•	
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	= 31623 ppm (Rat) 4 h

.

Information on toxicological effects

Symptoms No Information Available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information Available
Germ cell mutagenicity No Information Available

Carcinogenicity IARC: Group 3 (Not classifiable as to its carcinogenicity to humans).

Reproductive toxicity
STOT single exposure
No Information Available
STOT repeated exposure
No Information Available
Aspiration hazard
No Information Available

Numerical measures of toxicity -Product Information

Unknown Acute Toxicity No Information Available

Section 12

Ecological Data

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Ethyl alcohol 64-17-5	12900: 96 h Oncorhynchus mykiss mL/L LC50	12-16.0: 96 h Oncorhynchus mykiss ms/L LC50 Static 100: 96 h Pimephales promelas ms/L LC50 static 13400-15100: 96 h Pimephales promelas ms/L LC50 flow-through	9268-14221: 48 h Daphnia magna mg/L LC50 24 h Daphnia magna mg/L EC50 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No Information Available.

Bioaccumulation

Chemical Name	Partition Coefficient
Ethyl alcohol	-0.32

Mobility

No information available.

Other adverse effects

No information available.

Section 13

Disposal Information

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

Chemical Name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	lanitable

Section 14

Transport Information

DOT

UN/ID No. 1170

Proper shipping name Ethanol Flammable liquids

Hazard Class 3
Packing Group III

Limited Quantities for packages under 1 Liter Exempt DOT SP 9275 for packages under 1 gallon

Section 15

Regulatory Information

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

Legend:

TSCA—United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL — Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS—European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Note: Isopropyl alcohol only needs to be reported if it is being manufactured by the strong acid process. Facilities that process or otherwise use isopropyl alcohol are NOT covered and should NOT file a report.

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substance regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substance regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local regional or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration NumberNot Applicable

Section 16 Additional Infor			itional Information	ation	
<u>NFPA</u>	Health Hazards 1	Flammability 3	Instability O	Physical and Chemical Properties None	
<u>HMIS</u>	Health Hazards 2	Flammability 3	Physical Hazards O	Personal protection B (safety glasses, gloves)	

Prepared by: Technical Department

Revision Date March, 2017

Version 2

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

LS 104-215-00.008